

FACILITY COMPLIANCE AUDIT REPORT

Division of Waste Management Solid Waste Section

UNIT	UNIT TYPE:												
Lined MSWLF		LCID		YW		Transfer		Compost		SLAS		COUNTY: Iredell	
Closed MSWLF	X	HHW		White goods		Incin		T&P		FIRM		PERMIT NO.: 49-01	
CDLF		Tire T&P / Collection		Tire Monofill		Industrial Landfill	,	DEMO		SDTF		FILE TYPE: COMPLIANCE	

Date of Audit: January 27, 2009 Date of Last Audit: April 29, 1993

FACILITY NAME AND ADDRESS:

Iredell County Landfill
Twin Oaks Road
Statesville, North Carolina 28625

GPS COORDINATES: N: 35.77782 W: 80.82049

FACILITY CONTACT NAME AND PHONE NUMBER:

David Lambert, Solid Waste Director (704) 878-5430

FACILITY CONTACT ADDRESS:

354 Twin Oaks Road Statesville, North Carolina 28625

AUDIT PARTICIPANTS:

Terry Church-Landfill Supervisor Charles Gerstell-NCDENR, Solid Waste Section

STATUS OF PERMIT:

Facility was issued a letter of closure on September 5, 1995.

PURPOSE OF AUDIT:

Comprehensive Audit

NOTICE OF VIOLATION(S):

None

You are hereby advised that, pursuant to N.C.G.S. 130A-22, an administrative penalty of up to \$15,000 per day may be assessed for each violation of the Solid Waste Statute or Regulations. For the violation(s) noted here, you may be subject to enforcement actions including penalties, injunction from operation of a solid waste management facility or a solid waste collection service and any such further relief as may be necessary to achieve compliance with the North Carolina Solid Waste Management Act and Rules.

FACILITY COMPLIANCE AUDIT REPORT Division of Waste Management Solid Waste Section

Page 2 of 2

STATUS OF PAST NOTED VIOLATIONS:

None

AREAS OF CONCERN AND COMMENTS:

- 1. Multiple trees were observed growing on the landfill primarily on the northern slopes and along rip rap ditchlines and slope drains. All trees must be removed from the landfill.
- 2. Dense brush was observed on the landfill along rip rap ditchlines and slope drains. This brush must be removed from the landfill to allow for thorough inspections.
- 3. A good stand of grass was observed on the landfill.
- 4. No areas of standing water were observed.
- 5. No significant settling was observed.

Please contact me if you have any questions or concerns regarding this audit report.

Charles T. Gerstell

Phone: ___

<u>(704) 235-2144</u>.

Environmental Senior Specialist Regional Representative

Delivered on : 2/5/09 by		Hand delivery	X	US Mail		Certified No. [_]
---------------------------------	--	---------------	---	---------	--	-------------------

cc: Mark Poindexter, Field Operations Branch Supervisor Deb Aja, Western District Supervisor